



when only **perfection** will do

TERRASPORT
REFUSEMATE



Powerful V-Twin 4 Cycle Air Cooled 16hp Engine

20 MPH Maximum Speed

Automatic Transmission, Multi-Leaf Spring Dual Shock Suspension & 4-Wheel Hydraulic Drum Brakes

Tough Fiberglass Cowl, Fenders & Hood

Twin Bucket Seats (cool white)

2.0 Cubic Yard, Water Tight 14 Gauge Steel Refuse Dump Box with 2 GPM, 12 Volt Hydraulic System & Heavy Duty 2-Stage Cylinder

Parks - Recreational Facilities

Colleges - Universities

Sports Turf - Athletic Complexes

Municipal - Commercial - Industrial



Full seam welded construction

Electric solenoid switch controlled dumping action



Welded tubular steel frame construction and carefully engineered suspension provide maximum riding comfort with a 1500 lb. payload capacity. The cab-over design maximizes operator visibility and turn radius.



No vehicle auxiliary hydraulics required

REFUSEMATE

The new TerraSport RefuseMate is a powerful turf utility vehicle specially accessorized with a refuse collection container for clean-up around parks, camp grounds, athletic facilities or virtually any off road area. Its mid-mounted engine provides a safe, low center of gravity. 2.0 cubic yard, 1000 lb. capacity container. 12 volt electric hydraulic system is complete with oil reservoir, 2 GPM pump and sturdy 2-stage dump cylinder. Low profile box reduces manual lifting when loading, and its flared design assures complete clean out when dumping. Now, Broyhill can make you and your environment look good.

TerraSport RefuseMate Specifications

Vehicle:

Engine	16hp Briggs V-Twin cyl. 4cycle, OHV, air cooled gas
Drive System	Automatic (CVT) transmission* (2 wheel drive)
Suspension: Rear	Heavy duty multi-leaf spring
Front	Captive multi-leaf springs, dual shocks
Fuel Capacity	8 gallons
Brakes	Four wheel, hydraulic drum, mechanical park brake
Electrical	12 volt battery, 15 amp, 12 volt elec. neutral start, twin halogen headlights
Body	Fiberglass cowl, fenders & hood
Steering	Front wheel power steering: automotive type 13" steering wheel
Main Frame	Welded tubular steel frame construction; mid engine placement
Tires/Wheels: Front	22.5 X 10 – 8 HD Field Trax TL
Rear	25 X 13 – 9 HD Field Trax TL
Drive Controls	Foot operated accelerator, brake pedal and shift lever with Forward/Reverse
Seat	2 Bucket

Dimensions:

Payload Capacity	1500 lbs**
Towing Capacity	1500 lbs
Weight w/refuse box	2.0 cu.yd. = 1760 lbs.
Rear Tread Centers	49"
Front Tread Centers	41"
Wheelbase	66"
Overall Length	114" w/o refuse box
Inside Clearance Circle	8'
Outside Clearance Circle	20'
Height at Steering Wheel	4'
Floorboard Height	15"
Minimum Ground Clearance	7"

Refuse Box:

Box Dimensions	2.0 cubic yards, 61" wide
Hydraulics	12 Volt, 2-GPM

*With differential lock

**Includes 250 lb. operator, 250 lb. passenger & accessories.

Options Include: Speedometer, Tachometer, Hand Throttle Control, Accessory Light Kit, Reverse Alarm

For more information, contact:

The Broyhill Company - Dakota City NE 68731

One North Market Square, Box 475

Phone: 402.987.3412 FAX: 402.987.3601

Sales Order Placement: 800.228.1003, ext. 34

www.Broyhill.com E-MAIL: Broyhillsal@aol.com

Copyright 09/02

Distributed By:

Broyhill

when only **perfection** will do

**Powerful V-Twin 4 Cycle
Air Cooled 16hp Engine**

20 MPH Maximum Speed

**Automatic (CVT)
Transmission,
Multi-Leaf Spring Dual
Shock Suspension &
4-Wheel Hydraulic Drum
Brakes**

**Tough Fiberglass Cowl,
Fenders & Hood**

**Twin Bucket Seats
(cool white)**

**Dependable 18hp Honda
Vac Engine w/Electric Start**

**Powerful 8" Diameter
Suction Hose w/power
assist lift**



**Stadiums
Parks & Recreation
School Districts
Municipalities
Residential
Commercial
Industrial**



**Welded tubular steel
frame construction
and carefully
engineered
suspension provide
maximum riding
comfort with a 1500
lb. payload capacity.
The cab-over design
maximizes operator
visibility and turn
radius.**

**Vacuum is of welded
steel construction
and completely self -
contained, with large
rear access door and
tough *reusable
refuse bag. High
velocity 26" diameter
fan, with no refuse
traveling through the
impeller.
* Optional disposable bag
available**

VACMATE

TERRASPORT
VACMATE

Now, eliminating litter keeps you in the drivers seat with the powerful TerraSport VacMate.

Since 1946, it's Broyhill, Making You Look Good.



The spring arm mounted suction hose with electric power assist makes easy clean up of virtually any facility, including factories and industrial areas.

TerraSport VacMate Specifications

Vehicle:

Engine	16hp Briggs V-Twin cyl. 4cycle, OHV, air cooled gas
Drive System	Automatic (CVT) transmission* (2 wheel drive)
Suspension: Rear	Heavy duty multi-leaf spring
Front	Captive multi-leaf springs, dual shocks
Fuel Capacity	8 gallons
Brakes	Four wheel, hydraulic drum, mechanical park brake
Electrical	12 volt battery, 15 amp, 12 volt elec. neutral start, twin halogen headlights & strobe light
Body	Fiberglass cowl, fenders & hood
Steering	Front wheel power steering: automotive type 13" steering wheel
Main Frame	Welded tubular steel frame construction; mid engine placement
Tires/Wheels: Front	22.5 X 10 – 8 HD Field Trax TL
Rear	25 X 13 – 9 HD Field Trax TL
Drive Controls	Foot operated accelerator, and brake pedal; shift lever with forward & reverse
Seat	2 Bucket

Dimensions:

Payload Capacity	1500 lbs**
Towing Capacity	1500 lbs
Weight w/vacuum	1780 lbs.
Rear Tread Centers	49"
Front Tread Centers	41"
Wheelbase	66"
Overall Length	114" w/vacuum
Inside Clearance Circle	8'
Outside Clearance Circle	20'
Height at Steering Wheel	4'
Floorboard Height	15"
Minimum Ground Clearance	7"

Vacuum:

Dimensions	51" L X 47" W X 21" H
Weight	580 lbs.
Capacity	1 cubic yard
Engine	18 HP Gas Honda, air cooled, 12V elec. start
Housing	14 gauge welded steel
Impeller	19" diameter, direct drive high speed balanced
Flex Suction Hose	8" diameter x 13' long PVC wire reinforced Electric power assist lift

*With differential lock

**Includes 250 lb. operator, 250 lb. passenger & accessories.

Options Include: Speedometer, Tachometer, Hand Throttle Control
Accessory Light Kit, Reverse Alarm

For more information, contact:
Broyhill Company - Dakota City NE 68731

One North Market Square, Box 475
Phone: 402.987.3412 FAX: 402.987.3601
Sales Order Placement: 800.228.1003, ext. 34
www.Broyhill.com E-MAIL: Broyhilsal@aol.com
Copyright 09/02

Distributed By: